

QUICK START GUIDE

Read this manual carefully and save it for future reference.
Lisez attentivement ce manuel et conservez-le pour référence future.
Lea este manual con atención y guárdealo para futuros consultas.

Disclaimer: The products, accessories, user interfaces, etc. illustrated in this guide are intended for reference only. Due to product updates, the actual product and the instructions may vary.

Clause de non-responsabilité : Les produits, accessoires, interfaces utilisateur, etc. illustrés dans ce guide sont destinés à servir de référence uniquement. En raison des mises à jour des produits, le produit réel et les illustrations de ce guide peuvent varier.

Declaración de responsabilidad: Los productos, accesorios, interfaces de usuario, etc. ilustrados en esta guía son sólo de referencia. Debido a las actualizaciones del producto, el producto real y las ilustraciones de esta guía pueden variar.

NOTES REMARQUES NOTAS

- You can share Wyze Scale S with other family members by following the sharing instructions inside the Wyze app.
- Your scale may need to be calibrated to show accurate weight measurements. Place the scale on a hard, flat surface and re-calibrate it (step on and then step off, allowing the scale to return to "0.0 lb").
- If you work out more than 10 hours a week and have a resting heart rate below 60 bpm, you may need to use Athlete Mode.
- Make sure your age, sex, and height entered during the setup process are correct to get the most accurate results.
- Open the Wyze app and connect to your Wyze Scale S before taking measurements to ensure the data is recorded on the correct profile.
- If your Wyze Scale S is shared by users with similar weights, make sure the scale is connected to the Wyze app of the user taking the measurement or data may not be recorded on the correct profile.
- People that are under 18 or over 65 years of age, that are pregnant, that have osteoporosis or very low bone density, that have edema, or that have artificial dialysis should use Wyze Scale S only as a reference, as the body fat measurement could be inaccurate due to deviations from standard averages.
- You can share Wyze Scale S with other family members by following the sharing instructions inside the Wyze app.
- Your balance must have been calibrated for accurate measurements of pod weights. Place the balance on a surface that is flat and stable and recalibrate it (place the balance on the surface and then remove it, allowing the scale to return to "0.0 lb").
- If you have been exercising for more than 10 hours per week and your heart rate is lower than 60 bpm, you may need to use Athlete Mode.
- Assurez-vous que votre âge, votre sexe et votre taille sois lors du processus de configuration sont

WELCOME TO WYZE BIENVENUE CHEZ WYZE BIENVENIDO A WYZE

Hi! Thanks for getting your hands on a Wyze Scale S, and if this is your first Wyze product, welcome to the Wyze family! You just made a commitment to a better, more connected lifestyle. This guide will help you get things set up.

Bonjour! Merci d'avoir acheté une Wyze Scale S, et si c'est votre première produit Wyze, bienvenue dans la famille Wyze! Vous venez de vous engager à adopter un style de vie meilleur et plus connecté. Ce guide va vous aider à mettre les choses en ordre.

Hola! Gracias por adquirir una báscula Wyze Scale S, en caso de que sea tu primer producto de Wyze, te damos la bienvenida a la familia Wyze! Acabas de comprometerte con un estilo de vida mejor y más conectado. Esta guía te ayudará a preparar todo.

IN THE BOX


Wyze Scale S x 1
1.5V AAA Batteries x 3
Quick Start Guide x 1

DANS LA BOÎTE

Wyze Scale S x 1
Piles AAA 1.5 V x 3
Guide de démarrage rapide x 1

EN LA CAJA

Wyze Scale S x 1
Pilas AAA de 1.5 V x 3
Guía de inicio rápido x 1




TIPS CONSEILS CONSEJOS

- | | |
|--|----------------------------------|
| | Place on a hard, flat surface |
| | Don't wear socks |
| | Don't let your knees touch |
| | No uses calcetines |
| | Evita que tus rodillas se toquen |

SETUP CONFIGURATION CONFIGURACIÓN

- Before first use, remove the plastic strip from the battery compartment.
- Avant la première utilisation, retirez la bande de plastique du compartiment des piles.
- Antes de usar por primera vez, quite la tapa de plástico del compartimento de las pilas.



Note: When inserting the batteries, line up the positive and negative signs to make sure the batteries are installed correctly.

Remarque: Lorsque vous insérez les piles, alignez les signes positifs et négatifs pour vous assurer que les piles sont installées correctement.

Nota: Cuando pongas las pilas, alinea los signos positivos y negativos para asegurarte de que las pilas estén puestas correctamente.

- Download the Wyze app and sign in or create an account.

Téléchargez l'application Wyze et connectez-vous ou créez un compte.


Descarga la aplicación Wyze e inicia sesión o crea una cuenta.



In the Wyze app, tap the + sign, then Add Device > Lifestyle > Wyze Scale S. Follow the instructions in the Wyze app to complete setup. To connect, enable your phone's Bluetooth and tap on the scale's surface to activate it.

Dans l'application Wyze, appuyez sur le signe +, puis sur Ajouter un appareil > Vie quotidienne > Wyze Scale S. Suivez les instructions de l'application Wyze pour terminer l'installation. Pour vous connecter, activez le Bluetooth de votre téléphone et appuyez sur la surface de la balance pour l'activer.


En la aplicación Wyze, toca el signo de más "+", luego Add Device > Lifestyle > Wyze Scale S. Sigue las instrucciones en la aplicación Wyze para terminar la configuración. Para conectar, activa el Bluetooth de tu teléfono y toca la superficie de la báscula para activarla.



- After the connection is established, place the scale on a hard, flat surface and step onto the scale with bare feet to begin the measurement. Make sure your feet are touching the 4 electrodes for the most accurate measurements.

Une fois la connexion établie, placez la balance sur une surface dure et plate et montez sur la balance pieds nus pour commencer la mesure. Assurez-vous que les pieds touchent les quatre électrodes pour obtenir les mesures les plus précises.

Una vez establecida la conexión, coloca la báscula en una superficie plana y dura y sube a la báscula con los pies descalzos para iniciar la medición. Asegúrate de que tus pies estén tocando los 4 electrodos para obtener las medidas más precisas.



UNITS AND FACTORY RESET UNITÉS ET RÉINITIALISATION D'USINE UNIDADES Y REINICIO DE FÁBRICA

On the back of your Wyze Scale S, you will find the UNIT/RESET button. Press it to change the units from lb to kg. Press and hold the button for 3 seconds until the LED display shows "Cl" to reset the scale.

Au dos de votre Wyze Scale S, vous trouverez le bouton UNIT/RESET. Appuyez dessus pour changer les unités de lb à kg. Appuyez sur le bouton et maintenez-le enfoncé pendant 3 secondes jusqu'à ce que l'écran LED affiche "Cl" pour réinitialiser la balance.

En la parte posterior de su Wyze Scale S, encontrará el botón UNIT/RESET. Presiónelo para cambiar las unidades de lib a kg. Mantenga presionado el botón durante 3 segundos hasta que la pantalla LED muestre "Cl" para restablecer la báscula.

Veuillez vous référer aux instructions du fabricant de votre dispositif médical pour plus d'informations. N'utilisez pas ce produit à moins que vous ne portiez des chaussures ou que vous n'activez le paramètre "Mesurer uniquement le poids", si vous avez un dispositif médical implanté, un système de survie électronique, utilisez un dispositif médical portable ou que vous êtes enceinte. Les femmes enceintes doivent également consulter leur fournisseur de soins de santé avant utilisation. Pour activer le paramètre « Mesurer uniquement le poids »:

- Ouvrez l'application Wyze et appuyez sur Wyze Scale.
- Appuyez sur l'engrenage pour ouvrir les paramètres de la balance.
- Appuyez sur "Utilisateurs", puis sélectionnez votre adresse e-mail pour ouvrir l'écran "Informations sur le compte".
- Appuyez sur le curseur à côté de « Mesurer uniquement le poids » puis appuyez sur « Oui » pour confirmer.

Certaines conditions physiques peuvent affecter les niveaux d'hydratation, ce qui peut entraîner des résultats inexactos. Veuillez consulter votre fournisseur de soins de santé pour plus d'informations.

- N'utilisez que des piles AAA de 1.5 V dans la balance. L'utilisation d'un type de piles incorrect crée un risque d'explosion.
- N'exposez pas les piles à des températures extrêmement élevées ou basses. Cela crée un risque d'explosion ou de fuite de liquide ou de gaz inflammable.
- Ne brodez pas, coupez ou déformer manuellement les batteries. Cela crée un risque d'explosion ou de fuite de liquide ou de gaz inflammable.
- Ne soumettez pas les batteries à une pression d'air extrêmement basse. Cela crée un risque d'explosion ou de fuite de liquide ou de gaz inflammable.
- Les personnes que lievén un dispositivo médico implantado, como un marcapasos, un sistema de soporte vital electrónico, como un corazón/pulmones artificiales, o que utilizan un dispositivo médico electrónico portátil, como un electrocardiógrafo, y las mujeres embarazadas, solo deben utilizar este producto mientras lleven puesto zapatos, o la configuración "Solo medir peso". Ciertas condiciones físicas pueden afectar los niveles de hidratación, lo cual puede entrañar resultados inexactos. Veuillez consultar su proveedor de servicios de salud para obtener más información. No use este producto a menos que use zapatos, o active la configuración "Solo medir peso", si tiene un dispositivo médico implantado, tiene un sistema de soporte vital electrónico, usa un dispositivo médico eléctrico portátil o está

embarazada. Las mujeres embarazadas también deben consultar a su proveedor de atención médica antes de usar.

Para activar el ajuste "Solo Medir Peso":

- Abra la aplicación Wyze y toque Wyze Scale.
- Toque el engranaje para abrir Configuración de cuenta.

3. Toque "Usuarios", luego seleccione su dirección de correo electrónico para abrir la pantalla "Información de la cuenta".

4. Toque el control deslizante junto a "Solo medir peso", luego "Sí" para confirmar".

Algunas condiciones físicas podrían afectar los niveles de hidratación que pueden conducir a resultados inexactos. Consulte a su proveedor de atención médica para obtener más información.

- Utilice únicamente pilas AAA de 1.5 V en la báscula. El uso del incorrecto de pilas crea un riesgo de explosión de agua.

- No exponga las pilas a temperaturas extremadamente altas ni al fuego. Hacerlo crea un riesgo de explosión o fuga de líquido o gas inflamable.

- No aplaste, corte o deformé manualmente las baterías. Hacerlo crea un riesgo de explosión o fuga de líquido o gas inflamable.

- No sometas las baterías a una presión de aire extremadamente baja. Hacerlo crea un riesgo de explosión o fuga de líquido o gas inflamable.

6. Avoid using this scale near strong magnetic fields, such as microwave ovens, etc.

7. This device complies with part 15 of the FCC Rules.

Its operation is subject to the following two conditions:

(1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

8. Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

9. This device contains licence-exempt transmitters(s)/receivers that comply with Innovation, Science and Economic Development Canada's licence-exempt RSS(s). Operation is subject to the following two conditions:

(1) this device may not cause interference.

(2) this device must accept interference from other electronic equipment.

10. This equipment complies with IC RSS-102 standards for an uncontrolled environment. This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.

11. The equipment complies with IC RSS-247 for an uncontrolled environment. This transmitter must be used in accordance with IC RSS-247 and is not allowed to operate without a license.

12. This device does not produce radio frequency interference.

13. This device complies with IC RSS-247 for an uncontrolled environment. This transmitter must be used in accordance with IC RSS-247 and is not allowed to operate without a license.

14. This device complies with IC RSS-247 for an uncontrolled environment. This transmitter must be used in accordance with IC RSS-247 and is not allowed to operate without a license.

15. This device complies with IC RSS-247 for an uncontrolled environment. This transmitter must be used in accordance with IC RSS-247 and is not allowed to operate without a license.

16. This device complies with IC RSS-247 for an uncontrolled environment. This transmitter must be used in accordance with IC RSS-247 and is not allowed to operate without a license.

17. This device complies with IC RSS-247 for an uncontrolled environment. This transmitter must be used in accordance with IC RSS-247 and is not allowed to operate without a license.

18. This device complies with IC RSS-247 for an uncontrolled environment. This transmitter must be used in accordance with IC RSS-247 and is not allowed to operate without a license.

19. This device complies with IC RSS-247 for an uncontrolled environment. This transmitter must be used in accordance with IC RSS-247 and is not allowed to operate without a license.

20. This device complies with IC RSS-247 for an uncontrolled environment. This transmitter must be used in accordance with IC RSS-247 and is not allowed to operate without a license.

21. This device complies with IC RSS-247 for an uncontrolled environment. This transmitter must be used in accordance with IC RSS-247 and is not allowed to operate without a license.

22. This device complies with IC RSS-247 for an uncontrolled environment. This transmitter must be used in accordance with IC RSS-247 and is not allowed to operate without a license.

23. This device complies with IC RSS-247 for an uncontrolled environment. This transmitter must be used in accordance with IC RSS-247 and is not allowed to operate without a license.

24. This device complies with IC RSS-247 for an uncontrolled environment. This transmitter must be used in accordance with IC RSS-247 and is not allowed to operate without a license.

25. This device complies with IC RSS-247 for an uncontrolled environment. This transmitter must be used in accordance with IC RSS-247 and is not allowed to operate without a license.

26. This device complies with IC RSS-247 for an uncontrolled environment. This transmitter must be used in accordance with IC RSS-247 and is not allowed to operate without a license.

27. This device complies with IC RSS-247 for an uncontrolled environment. This transmitter must be used in accordance with IC RSS-247 and is not allowed to operate without a license.

28. This device complies with IC RSS-247 for an uncontrolled environment. This transmitter must be used in accordance with IC RSS-247 and is not allowed to operate without a license.

29. This device complies with IC RSS-247 for an uncontrolled environment. This transmitter must be used in accordance with IC RSS-247 and is not allowed to operate without a license.

30. This device complies with IC RSS-247 for an uncontrolled environment. This transmitter must be used in accordance with IC RSS-247 and is not allowed to operate without a license.

31. This device complies with IC RSS-247 for an uncontrolled environment. This transmitter must be used in accordance with IC RSS-247 and is not allowed to operate without a license.

32. This device complies with IC RSS-247 for an uncontrolled environment. This transmitter must be used in accordance with IC RSS-247 and is not allowed to operate without a license.

33. This device complies with IC RSS-247 for an uncontrolled environment. This transmitter must be used in accordance with IC RSS-247 and is not allowed to operate without a license.

34. This device complies with IC RSS-247 for an uncontrolled environment. This transmitter must be used in accordance with IC RSS-247 and is not allowed to operate without a license.

35. This device complies with IC RSS-247 for an uncontrolled environment. This transmitter must be used in accordance with IC RSS-247 and is not allowed to operate without a license.

36. This device complies with IC RSS-247 for an uncontrolled environment. This transmitter must be used in accordance with IC RSS-247 and is not allowed to operate without a license.

37. This device complies with IC RSS-247 for an uncontrolled environment. This transmitter must be used in accordance with IC RSS-247 and is not allowed to operate without a license.

38. This device complies with IC RSS-247 for an uncontrolled environment. This transmitter must be used in accordance with IC RSS-247 and is not allowed to operate without a license.

39. This device complies with IC RSS-247 for an uncontrolled environment. This transmitter must be used in accordance with IC RSS-247 and is not allowed to operate without a license.

40. This device complies with IC RSS-247 for an uncontrolled environment. This transmitter must be used in accordance with IC RSS-247 and is not allowed to operate without a license.

41. This device complies with IC RSS-247 for an uncontrolled environment. This transmitter must be used in accordance with IC RSS-247 and is not allowed to operate without a license.

42. This device compl